ELSEVIER

Hearing Research 101 (1996) 211–212

HEARING RESEARCH

Author Index

Baier, C., see Zhou, X. (101) 187
Baier, C., see Zhou, X. (101) 186
Bell, B., see Hood, L.J. (101) 113
Berlin, C.I., see Hood, L.J. (101) 113
Bibikov, N.G., and Nizamov, S.V.
Temporal coding of low-frequency amplitude modulation in the torus semicircularis of the grass frog (101) 23
Billieux-Hawkins, D.A., see Pickles, J.O. (101) 45
Bobbin, R.P., see Nenov, A.P. (101) 149
Bobbin, R.P., see Nenov, A.P. (101) 132

Cazals, Y., and Huang, Z.W.
Average spectrum of cochlear activity: a possible synchronized firing, its olivo-cochlear feedback and alterations under anesthesia (101) 81
Cecola, R.P., see Hood, L.J. (101) 113
Clerici, W.J., and Yang, L.
Direct effects of intraperilymphatic reactive oxygen species generation on cochlear function (101) 14
Crouch, J.J., and Schulte, B.A.
Identification and cloning of site C splice variants of plasma membrane Ca-ATPase in the gerbil cochlea (101) 55

Elbert, T., see Pantev, C. (101) 62
Evans, M.G., Kiln, J. and Pinch, D.
No evidence for functional GABA receptors in outer hair cells isolated from the apical half of the guinea-pig cochlea (101) 1
Eybalin, M., Norenberg, M.D. and Renard, N.
Glutamine synthetase and glutamate metabolism in the guinea pig cochlea (101) 93

Fregly, M.J., see Rarey, K.E. (101) 173

Garg, L.C., see Rarey, K.E. (101) 173
Gerhardt, K.J., see Rarey, K.E. (101) 173

Hisashi, K., see Kimitsuki, T. (101) 75
Hood, L.J., Berlin, C.I., Hurley, A., Cecola, R.P. and Bell, B.
Contralateral suppression of transient-evoked otoacoustic emissions in humans: intensity effects (101) 113
Hosoda, Y., see Matsunaga, T. (101) 119
Hossain, W.A., see Zhou, X. (101) 187
Hossain, W.A., see Zhou, X. (101) 186
Huang, Z.W., see Cazals, Y. (101) 81
Hurley, A., see Hood, L.J. (101) 113

Irimajiri, A., see Takeuchi, S. (101) 181

Kaga, K., see Yamada, K. (101) 173
Kakigi, A., see Takeuchi, S. (101) 181
Kanzaki, J., see Matsunaga, T. (101) 119
Kiln, J., see Evans, M.G. (101) 1
Kimitsuki, T., Nakagawa, T., Hisashi, K., Komune, S. and Komiyama, S.
Gadolinium blocks mechano-electric transducer current in chick cochlear hair cells (101) 75
Komiyama, S., see Kimitsuki, T. (101) 75
Komune, S., see Kimitsuki, T. (101) 75

Li, D., see Pierson, M. (101) 7

Ma, Y.L., see Rarey, K.E. (101) 173
Matsunaga, T., Kanzaki, J. and Hosoda, Y.
The vasculature of the peripheral portion of the human eighth cranial nerve (101) 119
Morest, D.K., see Zhou, X. (101) 187
Morest, D.K., see Zhou, X. (101) 186

Nakagawa, T., see Kimitsuki, T. (101) 75
Narins, P.M., see van Dijk, P. (101) 102
Nenov, A.P., Norris, C. and Bobbin, R.P.
Acetylcholine response in guinea pig outer hair cells. I. Properties of the response (101) 132
Nenov, A.P., Norris, C. and Bobbin, R.P.
Acetylcholine response in guinea pig outer hair cells. II. Activation of a small conductance Ca^{2+}-activated K^+ channel (101) 149
Nizamov, S.V., see Bibikov, N.G. (101) 23
Norenberg, M.D., see Eybalin, M. (101) 93
Norris, C., see Nenov, A.P. (101) 149
Norris, C., see Nenov, A.P. (101) 132

Pantev, C., Roberts, L.E., Elbert, T., Roß, B. and Wienbruch, C.
Tonotopic organization of the sources of human auditory steady-state responses (101) 62
Pickles, J.O., Billieux-Hawkins, D.A. and Rouse, G.W.
The incorporation and turnover of radiolabelled amino acids in developing stereocilia of the chick cochlea (101) 45
Pierson, M., and Li, D.
Cochlear integrity in rats with experimentally induced audiogenic seizure susceptibility (101) 7
Pinch, D., see Evans, M.G. (101) 1

Renard, N., see Eybalin, M. (101) 93
Roß, B., see Pantev, C. (101) 62
Roberts, L.E., see Pantev, C. (101) 62
Rouse, G.W., see Pickles, J.O. (101) 45
Rutledge, A., see Zhou, X. (101) 187
Rutledge, A., see Zhou, X. (101) 186
Rybak, L.P., see Rarey, K.E. (101) 173

Saito, H., see Takeuchi, S. (101) 181
Schulte, B.A., see Crouch, J.J. (101) 55
Shindo, M., see Yamada, K. (101) 173

Takeda, T., see Takeuchi, S. (101) 181
Takeuchi, S., Kakigi, A., Takeda, T., Saito, H. and Irimajiri, A.
Intravascularly applied K^+-channel blockers suppress differently the positive endocochlear potential maintained by vascular perfusion (101) 181

Uno, A., see Yamada, K. (101) 173

van Dijk, P., Narins, P.M. and Wang, J.
Spontaneous otoacoustic emissions in seven frog species (101) 102

Wang, J., see van Dijk, P. (101) 102
Wienbruch, C., see Pantev, C. (101) 62

Yamada, K., Kaga, K., Uno, A. and Shindo, M.
Sound lateralization in patients with lesions including the auditory cortex: comparison of interaural time difference (ITD) discrimination and interaural intensity difference (IID) discrimination (101) 173
Yang, L., see Clerici, W.J. (101) 14

Zhou, X., Hossain, W.A., Rutledge, A., Baier, C. and Morest, D.K.
Erratum to "Basic fibroblast growth factor (FGF-2) affects development of acoustico-vestibular neurons in the chick embryo brain in vitro" [Hearing Res. 93 (1996) 147–166] (101) 186
Zhou, X., Hossain, W.A., Rutledge, A., Baier, C. and Morest, D.K.
Basic fibroblast growth factor (FGF-2) affects development of acoustico-vestibular neurons in the chick embryo brain in vitro (101) 187

ELSEVIER

Hearing Research 101 (1996) 213–215

HEARING RESEARCH

Subject Index

Acetylcholine
Outer hair cell; Patch clamp; γ-Aminobutyric acid; Potassium current (Evans, M.G. (101) 1)

Outer hair cell; Cesium; Charybdotoxin; SK channel; Apamin (Nenov, A.P. (101) 149)

Actin
Stereocilia; Protein; Turnover; Chick; Development (Pickles, J.O. (101) 45)

Adaptation
Frog; Auditory; Amplitude modulation; Torus semicircularis (Bibikov, N.G. (101) 23)

Hair cell; Gadolinium; Mechano-electric transduction channel (Kimitsuki, T. (101) 75)

Amplitude modulation
Frog; Auditory; Torus semicircularis; Adaptation (Bibikov, N.G. (101) 23)

Anesthesia
Cochlea; Spontaneous activity; Evoked activity; Efferent feedback (Cazals, Y. (101) 81)

Apamin
Acetylcholine; Outer hair cell; Cesium; Charybdotoxin; SK channel (Nenov, A.P. (101) 149)

Audiogenic seizure
Epilepsy; Cochlea; Development; Kanamycin (Pierson, M. (101) 7)

Auditory
Frog; Amplitude modulation; Torus semicircularis; Adaptation (Bibikov, N.G. (101) 23)

Human auditory cortex; Magnetoencephalography; Steady-state field (Pantev, C. (101) 62)

Auditory agnosia
Sound localization; Dichotic study; Temporal lobe; Word deafness (Yamada, K. (101) 173)

Axon growth
Rhombencephalon; Nucleus magnocellularis; Nucleus tangentialis vestibularis; Cochlear nucleus; Cell death (Zhou, X. (101) 187)

Ca homeostasis
Ion transport; Inner ear; Reverse-transcription polymerase chain reaction (RT-PCR) (Crouch, J.J. (101) 55)

Cell death
Rhombencephalon; Nucleus magnocellularis; Nucleus tangentialis vestibularis; Cochlear nucleus; Axon growth (Zhou, X. (101) 187)

Cesium
Acetylcholine; Outer hair cell; Charybdotoxin; SK channel; Apamin (Nenov, A.P. (101) 149)

Charybdotoxin
Acetylcholine; Outer hair cell; Cesium; SK channel; Apamin (Nenov, A.P. (101) 149)

Chick
Stereocilia; Protein; Turnover; Actin; Development (Pickles, J.O. (101) 45)

Cochlea
Audiogenic seizure; Epilepsy; Development; Kanamycin (Pierson, M. (101) 7)

Cochlear microphonic; Compound action potential; Hydroxyl radical; Free radical; Reactive oxygen species; Superoxide anion (Clerici, W.J. (101) 14)

Spontaneous activity; Evoked activity; Efferent feedback; Anesthesia (Cazals, Y. (101) 81)

Cochlea; Compound action potential; Hydroxyl radical; Free radical; Reactive oxygen species; Superoxide anion (Clerici, W.J. (101) 14)

Cochlear nucleus
Rhombencephalon; Nucleus magnocellularis; Nucleus tangentialis vestibularis; Cell death; Axon growth (Zhou, X. (101) 187)

Compound action potential
Cochlea; Cochlear microphonic; Hydroxyl radical; Free radical; Reactive oxygen species; Superoxide anion (Clerici, W.J. (101) 14)

Contralateral suppression
Otoacoustic emission; Transient-evoked otoacoustic emission; Human; Intensity level (Hood, L.J. (101) 113)

Desensitization
K^+ channel; Voltage dependence (Nenov, A.P. (101) 132)

Development
Audiogenic seizure; Epilepsy; Cochlea; Kanamycin (Pierson, M. (101) 7)

Stereocilia; Protein; Turnover; Actin; Chick (Pickles, J.O. (101) 45)

Dichotic study
Sound localization; Temporal lobe; Word deafness; Auditory agnosia (Yamada, K. (101) 173)

Efferent feedback
Cochlea; Spontaneous activity; Evoked activity; Anesthesia (Cazals, Y. (101) 81)

Endocochlear potential
K^+ channel blocker; Stria vascularis; Guinea pig (Takeuchi, S. (101) 181)

Epilepsy
Audiogenic seizure; Cochlea; Development; Kanamycin (Pierson, M. (101) 7)

Evoked activity
Cochlea; Spontaneous activity; Efferent feedback; Anesthesia (Cazals, Y. (101) 81)

Excitotoxicity
Glutamate-glutamine cycle; Neurotransmission; Ischemia; Noise trauma; Organ of Corti; Immunocytochemistry (Eybalin, M. (101) 93)

Free radical
Cochlea; Cochlear microphonic; Compound action potential; Hydroxyl radical; Reactive oxygen species; Superoxide anion (Clerici, W.J. (101) 14)

Frog
Auditory; Amplitude modulation; Torus semicircularis; Adaptation (Bibikov, N.G. (101) 23)

Spontaneous otoacoustic emission; Temperature (van Dijk, P. (101) 102)

Gadolinium
Hair cell; Mechano-electric transduction channel; Adaptation (Kimitsuki, T. (101) 75)

Glutamate-glutamine cycle
Neurotransmission; Excitotoxicity; Ischemia; Noise trauma; Organ of Corti; Immunocytochemistry (Eybalin, M. (101) 93)

Guinea pig
Endocochlear potential; K^+ channel blocker; Stria vascularis (Takeuchi, S. (101) 181)

Hair cell
Gadolinium; Mechano-electric transduction channel; Adaptation (Kimitsuki, T. (101) 75)

Human
Otoacoustic emission; Transient-evoked otoacoustic emission; Contralateral suppression; Intensity level (Hood, L.J. (101) 113)

Transmission electron microscopy; Internal auditory artery; Microvessel; Peripheral nervous system; Vestibular ganglion (Matsunaga, T. (101) 119)

Magnetoencephalography; Auditory evoked magnetic field; Steady-state field (Pantev, C. (101) 62)

Hydroxyl radical
Cochlea; Cochlear microphonic; Compound action potential; Free radical; Reactive oxygen species; Superoxide anion (Clerici, W.J. (101) 14)

Immunocytochemistry
Glutamate-glutamine cycle; Neurotransmission; Excitotoxicity; Ischemia; Noise trauma; Organ of Corti (Eybalin, M. (101) 93)

Inner ear
Ion transport; Ca homeostasis; Reverse-transcription polymerase chain reaction (RT-PCR) (Crouch, J.J. (101) 55)

Intensity level
Otoacoustic emission; Transient-evoked otoacoustic emission; Contralateral suppression; Human (Hood, L.J. (101) 113)

Internal auditory artery
Human; Transmission electron microscopy; Microvessel; Peripheral nervous system; Vestibular ganglion (Matsunaga, T. (101) 119)

Ion transport
Inner ear; Ca homeostasis; Reverse-transcription polymerase chain reaction (RT-PCR) (Crouch, J.J. (101) 55)

Ischemia
Glutamate-glutamine cycle; Neurotransmission; Excitotoxicity; Noise trauma; Organ of Corti; Immunocytochemistry (Eybalin, M. (101) 93)

K^+ channel
Voltage dependence; Desensitization (Nenov, A.P. (101) 132)

Endocochlear potential; Stria vascularis; Guinea pig (Takeuchi, S. (101) 181)

Kanamycin
Audiogenic seizure; Epilepsy; Cochlea; Development (Pierson, M. (101) 7)

Magnetoencephalography
Human auditory cortex; Auditory evoked magnetic field; Steady-state field (Pantev, C. (101) 62)

Mechano-electric transduction channel
Hair cell; Gadolinium; Adaptation (Kimitsuki, T. (101) 75)

Microvessel
Human; Transmission electron microscopy; Internal auditory artery; Peripheral nervous system; Vestibular ganglion (Matsunaga, T. (101) 119)

Neurotransmission
Glutamate-glutamine cycle; Excitotoxicity; Ischemia; Noise trauma; Organ of Corti; Immunocytochemistry (Eybalin, M. (101) 93)

Noise trauma
Glutamate-glutamine cycle; Neurotransmission; Excitotoxicity; Ischemia; Organ of Corti; Immunocytochemistry (Eybalin, M. (101) 93)

Nucleus magnocellularis
Rhombencephalon; Nucleus tangentialis vestibularis; Cochlear nucleus; Cell death; Axon growth (Zhou, X. (101) 187)

Nucleus tangentialis vestibularis
Rhombencephalon; Nucleus magnocellularis; Cochlear nucleus; Cell death; Axon growth (Zhou, X. (101) 187)

Organ of Corti
Glutamate-glutamine cycle; Neurotransmission; Excitotoxicity; Ischemia; Noise trauma; Immunocytochemistry (Eybalin, M. (101) 93)

Otoacoustic emission
Transient-evoked otoacoustic emission; Contralateral suppression; Human; Intensity level (Hood, L.J. (101) 113)

Outer hair cell
Patch clamp; γ-Aminobutyric acid; Acetylcholine; Potassium current (Evans, M.G. (101) 1)

Acetylcholine; Cesium; Charybdotoxin; SK channel; Apamin (Nenov, A.P. (101) 149)

Patch clamp
Outer hair cell; γ-Aminobutyric acid; Acetylcholine; Potassium current (Evans, M.G. (101) 1)

Peripheral nervous system
Human; Transmission electron microscopy; Internal auditory artery; Microvessel; Vestibular ganglion (Matsunaga, T. (101) 119)

Potassium
Outer hair cell; Patch clamp; γ-Aminobutyric acid; Acetylcholine (Evans, M.G. (101) 1)

Protein
Stereocilia; Turnover; Actin; Chick; Development (Pickles, J.O. (101) 45)

γ-Aminobutyric acid
Outer hair cell; Patch clamp; Acetylcholine; Potassium current (Evans, M.G. (101) 1)

Reactive oxygen species
Cochlea; Cochlear microphonic; Compound action potential; Hydroxyl radical; Free radical; Superoxide anion (Clerici, W.J. (101) 14)

Reverse-transcription polymerase chain reaction (RT-PCR)
Ion transport; Inner ear; Ca homeostasis (Crouch, J.J. (101) 55)

Rhombencephalon
Nucleus magnocellularis; Nucleus tangentialis vestibularis; Cochlear nucleus; Cell death; Axon growth (Zhou, X. (101) 187)

SK channel
Acetylcholine; Outer hair cell; Cesium; Charybdotoxin; Apamin (Nenov, A.P. (101) 149)

Sound localization
Dichotic study; Temporal lobe; Word deafness; Auditory agnosia (Yamada, K. (101) 173)

Spontaneous activity
Cochlea; Evoked activity; Efferent feedback; Anesthesia (Cazals, Y. (101) 81)

Spontaneous otoacoustic emission
Frog; Temperature (van Dijk, P. (101) 102)

Steady-state field
Human auditory cortex; Magnetoencephalography; Auditory evoked magnetic field (Pantev, C. (101) 62)

Stereocilia
Protein; Turnover; Actin; Chick; Development (Pickles, J.O. (101) 45)

Stria vascularis
Endocochlear potential; K^+ channel blocker; Guinea pig (Takeuchi, S. (101) 181)

Superoxide anion
Cochlea; Cochlear microphonic; Compound action potential; Hydroxyl radical; Free radical; Reactive oxygen species (Clerici, W.J. (101) 14)

Temperature
Spontaneous otoacoustic emission; Frog (van Dijk, P. (101) 102)

Temporal lobe
Sound localization; Dichotic study; Word deafness; Auditory agnosia (Yamada, K. (101) 173)

Torus semicircularis
Frog; Auditory; Amplitude modulation; Adaptation (Bibikov, N.G. (101) 23)

Transient-evoked otoacoustic emission
Otoacoustic emission; Contralateral suppression; Human; Intensity level (Hood, L.J. (101) 113)

Transmission electron microscopy
Human; Internal auditory artery; Microvessel; Peripheral nervous system; Vestibular ganglion (Matsunaga, T. (101) 119)

Turnover
Stereocilia; Protein; Actin; Chick; Development (Pickles, J.O. (101) 45)

Vestibular ganglion
Human; Transmission electron microscopy; Internal auditory artery; Microvessel; Peripheral nervous system (Matsunaga, T. (101) 119)

Voltage dependence
K^+ channel; Desensitization (Nenov, A.P. (101) 132)

Word deafness
Sound localization; Dichotic study; Temporal lobe; Auditory agnosia (Yamada, K. (101) 173)